

POTENMIC
Nutritional supplement
Oral suspension



Product basic composition

Creatine Monohydrate; DL-Carnitine HCL, L-Glycine, L-Alanine, L-Arginine HCl, Lysine HCl L-Methionine, L-Tryptophan, L-Asparagine H2O, L-Histidine HCl, DL-Choline bitartrate, L-Glutamic acid, Fructose, Glucose, Betaine HCl; Vitamin B12 (Cyanocobalamin), Copper chloride dehydrate, Sodium Selenite, Iron Proteinate, Cobalt Chloride Hexahydrate, Zinc Sulphate Heptahydrate, Excipients q.s.

Formula

Each 100 ml contains:

Creatine monohydrate.....	1.3 g	Betaine HCl.....	1.32 g
DL Carnitine HCl	2.0 g	L-glutamic acid	0.036 g
L-Glycine	0.036 g	Cobalt chloride* 6H2O	0.00847 g
L-Alanine	2.0 g	Copper chloride* 2H2O.....	0.134 g
L-Arginine HCl	0.036 g	Iron proteinate*.....	4.5 g
L-Lysine HCl	0.9 g	Sodium Selenite*	0.0164 g
L-Methionine.....	0.036 g	Zinc Sulfate* 7H2O.....	1.208 g
L-Tryptophan.....	0.179 g	Fructose	10 g
L-Asparagine H2O	0.036 g	Glucose	10 g
L-Histidine HCl.....	0.036 g	Vitamin B12	0.0015 g
DL-Choline bitartrate	2.088 g	Excipients q.s.ad.....	100 ml

* Cobalt: 0.0021 g. - Copper: 0.05 g. - Iron: 0.45 g. - Selenium: 0.0104 g. - Zinc: 0.275 g

Indications

Nutritional supplement acting as: reconstituent, enhancer, energizer, hematinic, antistress, antioxidant, metabolism and appetite stimulant, immunostimulant. Its formulation contains amino acids, vitamins, energizer, minerals and trace elements, providing in a single product every required element for optimal performance. It is indicated for: athletes, exhibition, pregnant, lactating or growing animals; nutritional management in the recovery of convalescent or weakened animals, with intense parasitosis, stimulating appetite, helping in hepatic metabolism, weight gain, and mass muscle definition.

Guarantee levels per product kg

Creatine monohydrate.....	11.4 g	Betaine HCl.....	11.60 g
DL Carnitine HCl	17.5 g	L-glutamic acid	0.32 g
L-Glycine	0.32 g	Cobalt chloride 6H2O.....	0.074 g
L-Alanine	17.5 g	Copper chloride 2H2O.....	1.17 g
L-Arginine HCl	0.32 g	Iron proteinate	39.4 g
L-Lysine HCl	7.88 g	Sodium selenito	0.14 g
L-Methionine.....	0.32 g	Zinc Sulfate 7H2O.....	10.6 g
L-Tryptophan.....	1.57 g	Fructose	87.6 g
L-Asparagine H2O	0.32 g	Glucose	87.6 g
L-Histidine HCl.....	0.32 g	Vitamin B12.....	0.013 g
DL-Choline bitartrate	18.30 g	Excipients	q.s.a

Approximate density 1 ml = 1.14 g.

Target species

Equines, bovines, ovines, goats, swines and large birds.

Route of administration

Shake well before the administration and periodically throughout the administration.

Oral route; it can be administered with an oral dosage syringe mixed with the ration, or in the drinking water.

Dosage

Adult equine doses for: maintenance 15 to 40 ml per day, convalescent or lack of appetite 30 to 60 ml per day, breeders 20 to 40 ml per day, slight training 20 to 40 ml per day, moderate training 40 to 60 ml per day, intense training 60 to 90 ml per day.

Foals and ponies: 10 to 20 ml per day – for equines between 60 days and one year old; 15 to 30 ml per day – for equines older than 1 year. Do not use in foals younger than 60 days old, except veterinarian's indication.

Adult bovine doses for: maintenance 15 to 40 ml per day, convalescent or lack of appetite 30 to 100 ml per day, breeders 40 to 60 ml per day; animals older than one year: 15 to 30 ml per day. Calves: 5 to 15 ml per day until weaning, 10 to 20 ml per day for elders.

Adult ovine and goats doses for: maintenance 5 to 15 ml per day, convalescent or lack of appetite for 20 to 30 ml per day, breeders 20 ml per day. Lambs and kid goat: 1 to 5 ml per day.

Adult swine doses for: maintenance 5 to 15 ml per day, convalescent or lack of appetite 15 to 30 ml per day, breeders 5 to 10 ml per day. Piglets: 1 to 3 ml per day; young swine 3 to 5 ml per day.

Large adult birds doses for: maintenance 2 ml per day, convalescent or lack of appetite of 2-5 ml per day, breeders 3 ml per day. Young birds: 1 ml per day.

The indicated total dose can be administered once or twice a day.

The suggested dose for each category and animal species may be modified according to the needs and/or requirements of each case and to veterinarian's discretion.

Precautions

Keep out of the reach of children and pets.

Never reuse empty containers, once used, destroy remainder and container safely, either by burning or by burying them far from rivers, lakes, springs, etc.

Store in dry cool place, protected from direct sunlight. Once opened, keep the product in original container, tightly closed.

Presentation

1 Lt.

Technical Director: Dr. Pablo Bringas

Made in Uruguay

Solo agent in U.A.E:

NATIONAL INDUSTRIAL COMPANY L.L.C

Tel: +971-2-6721000 – Fax: 971-2-6770011

Manufactured by:

LABORATORIOS MICROSULES URUGUAY S.A

Ruta 101 km 28, Camino Paso Escobar s/n

Pueblo Cap. Juan Antonio Artigas

Canelones, Uruguay. C.P.: 91.001

Tels: (00598-2) 2886761*, Fax: (00598-2) 2886760

www.laboratoriosmicrosules.com

