



الشركة الوطنية الصناعية ذ.م.م



National Industrial Co. L.L.C

الشركة الوطنية للمعدات الزراعية والكيمائيات ذ.م.م

National Co. for Agricultural Equipment & Chemicals L.L.C

ماكينات رش حرارية وبارده Thermal & Cold Fogging Machines



Abu Dhabi. T: 02-6721000 F: 02-6770011 Dubai. T: 04-2660149 F: 04-2665278
Al-Dhaid. T: 06-8828120 F: 06-8828130 Al-Ain. T: 03-7641614 F: 03-7654197
Liwa. T/F: 02-8829660
E-mail: nic_uae@emirates.net.ae www.nicuae.com

Prepared by Eng.: Mohamed Mansour El-Dessouky
050-7227514 / 0557173635



Thermal Foggers – PulsFog (Germany)



PulsFOG K-10-SP

- NIC Code: **65004**

- Empty Weight: 7 kg
- Fuel tank capacity: 2 Liter
- Tank capacity: **5** Liter
- Dimension: 106 x 29 x 33 cm
- Engine capacity/Type: 300 cm³ / 17,5 kW (24,1 hp, 15.300 kcal/h)
- Fuel consumption: 1,9 L/h
- Automatic ignition: Electronic ignition coil fed by 4 x dry batteries = 6V
- Starting device: Hand pump
- Flow rate: 10 - 35 L/h (according to nozzle size used).



PulsFOG K-10 Desert

- NIC Code: **65005**

- Empty Weight: 8.5 kg
- Fuel tank capacity: 2 Liter
- Tank capacity: **6** Liter
- Dimension: 106 x 29 x 33 cm
- Engine capacity/Type: 300 cm³ / 17,5 kW (24,1 hp, 15.300 kcal/h)
- Fuel consumption: 1,9 L/h
- Automatic ignition: Electronic ignition coil fed by 4 x dry batteries = 6V
- Flow rate: 10 - 35 L/h (according to nozzle size used).



PulsFOG K-10-O

- NIC Code: **65001**

- Empty Weight: 8.5 kg
- Fuel tank capacity: 2 Liter
- Tank capacity: **10** Liter
- Dimension: 129 x 29 x 36 cm
- Engine capacity/Type: 300 cm³ / 17,5 kW (24,1 hp, 15.300 kcal/h)
- Fuel consumption: 1,9 L/h
- Automatic ignition: Electronic ignition coil fed by 4 x dry batteries = 6V
- Flow rate: 10 - 35 L/h (according to nozzle size used).



PulsFOG K-30-20-0

- NIC Code: **65002**

- Empty Weight: 55 kg
- Fuel tank capacity: 12 Liter
- Tank capacity: **80** Liter
- Dimension: 151 x 87 x 50 cm
- Engine capacity: 2000 cm³
- Engine type: 75 kW (101.6 hp, 64.400 kcal/h)
- Fuel consumption: 7.6 l/h
- Automatic ignition: Electronic ignition coil fed by 4 x dry batteries = 6V
- Starting device: Manual quick start
- Flow rate: 30 - 120 l/h (according to nozzle size used).
- Standard flow rate: 60 l/h





Thermal Foggers – Vector (Korea)




Portable Thermal Fogger H100 SF

- Empty Weight: 8.5 kg (18.7 lb)
- Tank capacity: 4.5 Liter (1.2 Gallon)
- Fuel: Gasoline
- Engine: Pulse Jet
- Droplet size: 5-30 microns
- Dimension (H/L/Dia): 45.3 x 13.4 x 10 inch (115 x 34 x 25 cm)
- NIC Code: **64529**



Portable Thermal Fogger H200 SS

- Empty Weight: 10.8 kg (23.8 lb)
- Tank capacity: 6.5 Liter (1.7 Gallon)
- Fuel: Gasoline
- Engine: Pulse Jet
- Droplet size: 5-30 microns
- Dimension (H/L/Dia): 52.4 x 11 x 15 inch (133 x 28 x 38 cm)
- NIC Code: **64531**




Truck Mounted Thermal Fogger H500 SF

- Empty Weight: 120 kg (265 lb)
- Tank capacity: 150 Liter (40 Gallon)
- Flow Rates: 200 - 300 LPH (53 - 80 GPH)
- Fuel: Gasoline
- Droplet size: 5-30 microns
- Dimension (H/L/Dia): 65 x 28.3 x 31.5 inch (165 x 72 x 80 cm)
- NIC Code:





Cold Fogger (Covid-19)




Fogmaster Tri-Jet 6208

- **Motor:** Motor: 1 Hp, 50/60 Hz
- **Particle size:** 15-30 micron VMD, adjustable.
- **Tank capacity:** 1 Gallon (4 Liter).
- **Shipping Weight:** 12 lb [5.4 kg].
- **Range:** Visible fog, 20-25 ft [7.5 m].
- **Discharge Rate:** Adjustable 0-10 oz [300 ml] /min.
- **Dimension (H/L/Dia):** 15.4 x 12.5 x 8.6 in (39 x 32 x 22 cm).
- **Liquid Flow Rate:** 0-9 oz/min [0-270 ml/min].
- **NIC Code:** 65101




PulsFOG Turbo ULV

- **Power source:** Electricity 230V
- **Empty Weight:** 6.6 kg
- **Tank capacity:** 5 Liter
- **Dimension:** 59 x 35 x 37 cm
- **Power supply:** 230 V AC / 50 - 60 Hz
- **Electrical power rating:** 1,0 kW
- **Effective fog throwing range:** 25 m
- **NIC Code:** 65006





ULV Fogger C150+



- **Motor:** 1170 W
- **Power source:** Electricity 220 V / 110 V
- **Flow rate:** 60 LPH (16 GPH)
- **Tank capacity:** 6 Liter (1.5 gallon)
- **Droplet size:** 5 - 50 microns
- **Net weight:** 4.7 kg (10.4 lb)
- **Dimensions:** 62 X 31 X 17 cm
(24.4 X 12.2 X 6.7 inc)
- **NIC Code:**



Made in: Korea

Cordless ULV Fogger DC20+

- **Motor:** Mabuchi 170 W
- **Power source:** Battery 110 - 240, 50 - 60 Hz
- **Flow rate:** 20 - 40 LPH (5 - 10 GPM)
- **Tank capacity:** 2 Liter (0.5 gallon)
- **Droplet size:** 5 - 50 microns
- **Net weight:** 3.2 kg (7.05 lb)
- **Dimensions:** 47 X 24 X 20 cm
(18.5 X 9.45 X 7.87 inc)
- **NIC Code:** 64537



Made in: Korea

